



DC SLAVE MOTORS FAST MOVING CATALOGUE

2021

fma





DC SLAVE MOTORS

NOTA:

I riferimenti e i nomi OEM sono riportati a titolo indicativo.

Le foto sono riportate a titolo identificativo.

NOTE:

Original makers' brand and OEM numbers are mentioned for reference only.

Photos are shown for identification purpose.



DC SLAVE MOTORS

EFEL	GF P/N	DRW	REMY	V	OD	Page
36751	DCGE00030	3.612.999.751	19024719	12	78.5	4
36752	DCGE00031	3.624.999.752	19024720	24	78.5	4
36501	DCGE00016	3.612.999.501	19024663	12	80	4
36511	DCGE00040	3.624.999.511	19024668	24	80	5
36654	DCGE00043	3.612.999.654	19024699	12	80	5
36711	DCGE00028	3.612.999.711	19024716	12	80	5
36721	DCGE00027	3.624.999.721	19024717	24	80	6
36798	DCGE00032	3.612.999.798	19024728	12	80	6
36799	DCGE00033	3.624.999.799	19024729	24	80	6
/	DCGE00044	3.624.999.122	/	24	80	7
36384	DCGE00018	3.624.999.384	19024659	24	115	7
36392	DCGE00019	3.612.999.392	19024660	12	115	7
36531	DCGE00041	3.612.999.531	19024669	12	115	8
36537	DCGE00023	3.624.999.537	19024670	24	115	8
36576	DCGE00020	3.624.999.576	19024678	24	115	8
36611	DCGE00021	3.612.999.611	19024689	12	115	9
36612	DCGE00022	3.624.999.612	19024690	24	115	9
36676	DCGE00024	3.612.999.676	19024706	12	115	9
36681	DCGE00025	3.624.999.681	19024709	24	115	10
36682	DCGE00026	3.612.999.682	19024710	12	115	10
36703	DCGE00042	3.612.999.703	19024713	24	115	10
36704	DCGE00029	3.612.999.704	19024714	12	115	11
36806	DCGE00034	3.612.999.806	19024730	12	115	11
36807	DCGE00035	3.612.999.807	19024743	12	115	11
36808	DCGE00036	3.624.999.808	19024731	24	115	12
36809	DCGE00037	3.624.999.809	19024732	24	115	12
15622	RCGQ00974	Brush set	19024752			13
36505	RCGQ00145	Solenoid	19024762	12		13
36510	RCGQ00146	Solenoid	19024763	24		13



DC Motor suitable to: 36751
 GF Ricambi P/N: DCGE00030



CROSS REFERENCE	<i>Efel</i>	36751
	<i>Remy</i>	1 024719
	<i>Iskra</i>	
	<i>Bosch</i>	
TECHNICAL DATA	<i>Volt</i>	1
	<i>Kw</i>	0.35
	<i>Rotation</i>	Right / Left (CW-CCW)
	<i>Ground</i>	Insulated
	<i>Type</i>	(\varnothing 78.5)
	<i>Drw</i>	3.612.999.751

BUCHER HYDRAULICS (HIDROIRMA)



DC Motor suitable to: 36752
 GF Ricambi P/N: DCGE00031



CROSS REFERENCE	<i>Efel</i>	36752
	<i>Remy</i>	1 024720
	<i>Iskra</i>	
	<i>Bosch</i>	
TECHNICAL DATA	<i>Volt</i>	2
	<i>Kw</i>	0.4
	<i>Rotation</i>	Right / Left (CW-CCW)
	<i>Ground</i>	Insulated
	<i>Type</i>	(\varnothing 78.5)
	<i>Drw</i>	3.624.999.752

BUCHER HYDRAULICS (HIDROIRMA)



DC Motor suitable to: 36501
 GF Ricambi P/N: DCGE00016



CROSS REFERENCE	<i>Efel</i>	36501
	<i>Remy</i>	1 024663
	<i>Iskra</i>	
	<i>Bosch</i>	
TECHNICAL DATA	<i>Volt</i>	1
	<i>Kw</i>	0.7
	<i>Rotation</i>	Right (CW)
	<i>Ground</i>	Insulated
	<i>Type</i>	(\varnothing 80)
	<i>Drw</i>	3.612.999.501

VARIOUS



DC Motor suitable to: 36511
 GF Ricambi P/N: DCGE00040



**CROSS
REFERENCE**

<i>Efel</i>	36511
<i>Remy</i>	1 024668
<i>Iskra</i>	
<i>Bosch</i>	

**TECHNICAL
DATA**

<i>Volt</i>	2
<i>Kw</i>	0.8
<i>Rotation</i>	Right (CW)
<i>Ground</i>	Insulated
<i>Type</i>	(ø 80)
<i>Drw</i>	3.624.999.511

VARIOUS



DC Motor suitable to: 36654
 GF Ricambi P/N: DCGE00043



**CROSS
REFERENCE**

<i>Efel</i>	36654
<i>Remy</i>	1 024699
<i>Iskra</i>	
<i>Bosch</i>	

**TECHNICAL
DATA**

<i>Volt</i>	1
<i>Kw</i>	0.7
<i>Rotation</i>	Right (CW)
<i>Ground</i>	Insulated
<i>Type</i>	(ø 80)
<i>Drw</i>	3.612.999.654

VARIOUS



DC Motor suitable to: 36711
 GF Ricambi P/N: DCGE00028



**CROSS
REFERENCE**

<i>Efel</i>	36711
<i>Remy</i>	1 024716
<i>Iskra</i>	11.216.192 / IM0128
<i>Bosch</i>	1 47220511

**TECHNICAL
DATA**

<i>Volt</i>	1
<i>Kw</i>	0.7
<i>Rotation</i>	Right (CW)
<i>Ground</i>	Insulated
<i>Type</i>	(ø 80)
<i>Drw</i>	3.612.999.711

BROC (OIL SISTEM) / BUCHER HYDRAULICS (HIDROIRMA) /
 C.C. ENGINEERING / FLUITRONICS (BERENDSEN) / HYDAC B.V. / OMF B / SAVERY / SMOES



DC Motor suitable to: 36721
GF Ricambi P/N: DCGE00027



CROSS REFERENCE	<i>Efel</i>	36721
	<i>Remy</i>	1 024717
	<i>Iskra</i>	11.216.177 / IM0124
	<i>Bosch</i>	1 47220510
TECHNICAL DATA	<i>Volt</i>	2
	<i>Kw</i>	0.8
	<i>Rotation</i>	Right (CW)
	<i>Ground</i>	Insulated
	<i>Type</i>	(ø 80)
	<i>Drw</i>	3.624.999.721

BUCHER HYDRAULICS (HIDROIRMA) / CONCORD / FLUITRONICS (BERENDSEN) / OMF8 / PEDRO ROQET



DC Motor suitable to: 36798
GF Ricambi P/N: DCGE00032



CROSS REFERENCE	<i>Efel</i>	36798
	<i>Remy</i>	1 024728
	<i>Iskra</i>	
	<i>Bosch</i>	
TECHNICAL DATA	<i>Volt</i>	1
	<i>Kw</i>	0.7
	<i>Rotation</i>	Left (CCW)
	<i>Ground</i>	Insulated
	<i>Type</i>	(ø 80)
	<i>Drw</i>	3.612.999.798

BUCHER HYDRAULICS (HIDROIRMA) / CONCORD / FLUITRONICS (BERENDSEN) / OMF8 / PEDRO ROQET



DC Motor suitable to: 36799
GF Ricambi P/N: DCGE00033



CROSS REFERENCE	<i>Efel</i>	36799
	<i>Remy</i>	1 024729
	<i>Iskra</i>	
	<i>Bosch</i>	
TECHNICAL DATA	<i>Volt</i>	2
	<i>Kw</i>	0.8
	<i>Rotation</i>	Right (CW)
	<i>Ground</i>	Insulated
	<i>Type</i>	(ø 80)
	<i>Drw</i>	3.624.999.799

BREVINI FLUID POWER (HYDR-APP)



DC Motor suitable to: IM0122-MM161

GF Ricambi P/N: DCGE00044



CROSS REFERENCE

<i>Letrika</i>	IM0122
<i>Mahle</i>	MM161
<i>Letrika</i>	11.218.070 / AME1167
<i>Letrika</i>	1 .216.172 / AME1589
<i>Letrika</i>	11.212.199 / AME1629

TECHNICAL DATA

<i>Volt</i>	2
<i>Kw</i>	0.5
<i>Rotation</i>	Bi-Direction
<i>Ground</i>	Insulated
<i>Type</i>	(ø 80)
<i>Drw</i>	3.624.999.122

ATP HYDRAULIK / BROCC (OIL SISTEM) / FAIVELEY TRANSPORT GROUP
FLUITRONICS (BERENDSEN) / HYDROKIT / SAVERY / TEKNO



DC Motor suitable to: 36384

GF Ricambi P/N: DCGE00018



CROSS REFERENCE

<i>Efel</i>	36384
<i>Remy</i>	1 024659
<i>Iskra</i>	11.212.067 / IM0002
<i>Bosch</i>	

TECHNICAL DATA

<i>Volt</i>	2
<i>Kw</i>	2.2
<i>Rotation</i>	Right (CW)
<i>Ground</i>	Insulated
<i>Type</i>	(ø 115)
<i>Drw</i>	3.624.999.384

BUCHER HYDRAULICS (HIDROIRMA) / E.M.S. / HYDROTECHNIC



DC Motor suitable to: 36392

GF Ricambi P/N: DCGE00019



CROSS REFERENCE

<i>Efel</i>	36392
<i>Remy</i>	1 024660
<i>Iskra</i>	11.212.066 / IM0001
<i>Bosch</i>	

TECHNICAL DATA

<i>Volt</i>	1
<i>Kw</i>	1.7
<i>Rotation</i>	Right (CW)
<i>Ground</i>	Insulated
<i>Type</i>	(ø 115)
<i>Drw</i>	3.612.999.392

BUCHER HYDRAULICS (HIDROIRMA) / E.M.S. / HYDROTECHNIC



DC Motor suitable to: 36531
GF Ricambi P/N: DCGE00041



CROSS REFERENCE	<i>Efel</i>	36531
	<i>Remy</i>	1 024669
	<i>Iskra</i>	
	<i>Bosch</i>	
TECHNICAL DATA	<i>Volt</i>	1
	<i>Kw</i>	1.7
	<i>Rotation</i>	Right (CW)
	<i>Ground</i>	Insulated
	<i>Type</i>	(ø 115)
	<i>Drw</i>	3.612.999.531

BROC (OIL SISTEM) / DAUTEL / MBB PALFINGER



DC Motor suitable to: 36537
GF Ricambi P/N: DCGE00023



CROSS REFERENCE	<i>Efel</i>	36537
	<i>Remy</i>	1 024670
	<i>Iskra</i>	11.216.995 / IM0029
	<i>Bosch</i>	
TECHNICAL DATA	<i>Volt</i>	2
	<i>Kw</i>	2.2
	<i>Rotation</i>	Right (CW)
	<i>Ground</i>	Insulated
	<i>Type</i>	(ø 115)
	<i>Drw</i>	3.624.999.537

BROC (OIL SISTEM) / GEORGI KOSTOV



DC Motor suitable to: 36576
GF Ricambi P/N: DCGE00020



CROSS REFERENCE	<i>Efel</i>	36576
	<i>Remy</i>	1 024678
	<i>Iskra</i>	11.212.958 / IM0055
	<i>Bosch</i>	0 36355081
TECHNICAL DATA	<i>Volt</i>	2
	<i>Kw</i>	2.2
	<i>Rotation</i>	Right (CW)
	<i>Ground</i>	Insulated
	<i>Type</i>	(ø 115)
	<i>Drw</i>	3.624.999.576

BROC (OIL SISTEM) / DAUTEL / DHOLLANDIA / GEORGI KOSTOV / HACO / HESSELMA
 HYDRAULFUNKTION AB / HYDRO-TEK / MARREL / PRODCEN / ZEPRO



DC Motor suitable to: 36611
GF Ricambi P/N: DCGE00021



CROSS REFERENCE	Efel	36611
	Remy	1 024689
	Iskra	11.212.994 / IM0028
	Bosch	
TECHNICAL DATA	Volt	1
	Kw	1.7
	Rotation	Right (CW)
	Ground	Insulated
	Type	(ø 115)
	Drw	3.612.999.611

BROC (OIL SISTEM) / DAUTEL / GEORGI KOSTOV / HACO / MBB PALFINGER / WESTERN MOTORS



DC Motor suitable to: 36612
GF Ricambi P/N: DCGE00022



CROSS REFERENCE	Efel	36612
	Remy	1 024690
	Iskra	11.216.995 / IM0029
	Bosch	
TECHNICAL DATA	Volt	2
	Kw	2.2
	Rotation	Right (CW)
	Ground	Insulated
	Type	(ø 115)
	Drw	3.624.999.612

BROC (OIL SISTEM) / GEORGI KOSTOV



DC Motor suitable to: 36676
GF Ricambi P/N: DCGE00024



CROSS REFERENCE	Efel	36676
	Remy	1 024706
	Iskra	11.212.957
	Bosch	
TECHNICAL DATA	Volt	1
	Kw	1.7
	Rotation	Right (CW)
	Ground	Insulated
	Type	(ø 115)
	Drw	3.612.999.676

BROC (OIL SISTEM) / DAUTEL / DHOLLANDIA / GEORGI KOSTOV / HACO / HESSELMA
 HYDRAULFUNKTION AB / HYDRO-TEK / MARREL / PRODCEN / ZEPRO



DC Motor suitable to: 36681
GF Ricambi P/N: DCGE00025



CROSS REFERENCE	Efel	36681
	Remy	1 024690
	Iskra	11.216.995 / IM0008
	Bosch	
TECHNICAL DATA	Volt	2
	Kw	2.2
	Rotation	Left (CCW)
	Ground	Insulated
	Type	(ø 115)
	Drw	3.624.999.681

BREVINI FLUID POWER (HYDR-APP / FLUITRONICS (BERENDSEN))



DC Motor suitable to: 36682
GF Ricambi P/N: DCGE00026



CROSS REFERENCE	Efel	36682
	Remy	1 024710
	Iskra	11.212.108 / IM0159
	Bosch	
TECHNICAL DATA	Volt	1
	Kw	1.7
	Rotation	Left (CCW)
	Ground	Insulated
	Type	(ø 115)
	Drw	3.612.999.682

ARROWHEAD / BREVINI FLUID POWER (HYDR-APP) / CONCENTRIC (HALDEX)
 JUST PARTS / LESTER / OLEODINAMICA REGGIANA / PIC / WESTERN MOTORS



DC Motor suitable to: 36703
GF Ricambi P/N: DCGE00042



CROSS REFERENCE	Efel	36703
	Remy	1 024713
	Iskra	
	Bosch	
TECHNICAL DATA	Volt	2
	Kw	2.2
	Rotation	Left (CCW)
	Ground	Insulated
	Type	(ø 115)
	Drw	3.624.999.703

VARIOUS



DC Motor suitable to: 36704
 GF Ricambi P/N: DCGE00029



CROSS REFERENCE	<i>Efel</i>	36704
	<i>Remy</i>	1 024714
	<i>Iskra</i>	11.216.445 / IM0203
	<i>Bosch</i>	
TECHNICAL DATA	<i>Volt</i>	1
	<i>Kw</i>	1.7
	<i>Rotation</i>	Left (CCW)
	<i>Ground</i>	Insulated
	<i>Type</i>	(ø 115)
	<i>Drw</i>	3.612.999.704

BREVINI FLUID POWER (HYDR-APP)



DC Motor suitable to: 36806
 GF Ricambi P/N: DCGE00034



CROSS REFERENCE	<i>Efel</i>	36806
	<i>Remy</i>	1 024730
	<i>Iskra</i>	11.212.622 / IM0032
	<i>Bosch</i>	
TECHNICAL DATA	<i>Volt</i>	1
	<i>Kw</i>	1.7
	<i>Rotation</i>	Right (CW)
	<i>Ground</i>	Insulated
	<i>Type</i>	(ø 115)
	<i>Drw</i>	3.612.999.806

ERHEL / FER / FLUIDLINK HYDRAULICS LTD / RATCLIFF TELL LIFTS / SPX FLUID POWER (SMITHS)



DC Motor suitable to: 36807
 GF Ricambi P/N: DCGE00035



CROSS REFERENCE	<i>Efel</i>	36807
	<i>Remy</i>	1 024743
	<i>Iskra</i>	
	<i>Bosch</i>	
TECHNICAL DATA	<i>Volt</i>	1
	<i>Kw</i>	1.7
	<i>Rotation</i>	Right (CW)
	<i>Ground</i>	Insulated
	<i>Type</i>	(ø 115)
	<i>Drw</i>	3.612.999.807

ERHEL / FER / FLUIDLINK HYDRAULICS LTD / RATCLIFF TELL LIFTS / SPX FLUID POWER (SMITHS)



DC Motor suitable to: 36808
GF Ricambi P/N: DCGE00036



CROSS REFERENCE	<i>Efel</i>	36808
	<i>Remy</i>	1 024731
	<i>Iskra</i>	11.212.619 / IM0030
	<i>Bosch</i>	
TECHNICAL DATA	<i>Volt</i>	2
	<i>Kw</i>	2.2
	<i>Rotation</i>	Right (CW)
	<i>Ground</i>	Insulated
	<i>Type</i>	(\varnothing 115)
	<i>Drw</i>	3.624.999.808

ERHEL / FER / FLUIDLINK HYDRAULICS LTD / HYDRIS / HYDROTECHNIC / SPX FLUID POWER (SMITHS)



DC Motor suitable to: 36809
GF Ricambi P/N: DCGE00037



CROSS REFERENCE	<i>Efel</i>	36809
	<i>Remy</i>	1 024732
	<i>Iskra</i>	
	<i>Bosch</i>	
TECHNICAL DATA	<i>Volt</i>	2
	<i>Kw</i>	2.2
	<i>Rotation</i>	Right (CW)
	<i>Ground</i>	Insulated
	<i>Type</i>	(\varnothing 115)
	<i>Drw</i>	3.624.999.809

ERHEL / FER / FLUIDLINK HYDRAULICS LTD / HYDRIS / HYDROTECHNIC / SPX FLUID POWER (SMITHS)



DC Motor Brush Set suitable t : 15622
GF Ricambi P/N: RCGQ00974



CROSS REFERENCE
Efel 15622
Remy 19024752

TECHNICAL DATA	Thickness	mm 9
	Height	mm 16
	Length	mm 17
	Lead Length	mm 150
	Lead length (square head bolt)	mm 150
	Square head bolt	mm M8

Used on DC-115 Series



DC Motor Solenoid suitable to: 36505
GF Ricambi P/N: RCGQ00145



CROSS REFERENCE
Efel 36505
Remy 19024762

TECHNICAL DATA	Volt	1



DC Motor Solenoid suitable to: 36510
GF Ricambi P/N: RCGQ00146



CROSS REFERENCE
Efel 36510
Remy 19024763

TECHNICAL DATA	Volt	2



GF RICAMBI

Via Albertini, 36 Blocco G/7 - 60131 Ancona, Italia

Tel: +39 071 2916357

info@gf ricambi.it

FMA S.r.l.

Via San Ubaldo, 26 - 60030 Monsano (AN), Italia

Tel: +39 0731 619004

fmasrl1@pec.it